



WE ARE VACCINE CONFIDENT YOU CAN BE, TOO!

Building Immunity and Protecting Communities: WE ARE VACCINE CONFIDENT



Protect your family and community by vaccinating children and teens against COVID-19 and getting them up-to-date on key routine vaccinations.



50.7%

of children 5+ have not received their first booster for COVID-19 (CDC)



27.6%

of the U.S. population age 5+ didn't complete their primary series of the COVID-19 vaccination (CDC)

COVID-19 vaccines are safe, effective and recommended by the CDC to prevent the spread of disease and reduce the risk of serious illness.

- COVID-19 vaccines are recommended for children 6 months and older.
- Bivalent COVID-19 boosters are recommended by the CDC for children 5 years and up and children aged 6 months–4 years who completed the Moderna primary series.
- All vaccines, including the COVID-19 vaccines, undergo rigorous testing and the process to bring them to market is similar to vaccinations approved for children in the last several decades.


For the first time in decades, our nation's children are at risk of exposure to diseases previously controlled by vaccines.

At the end
of 2021,
more than

**26
MILLION**

doses of routine
immunizations
were missed

- On-time vaccinations provide immunity and protect communities.
- When a high percentage of your community is not immunized, it creates opportunities for disease to spread to vulnerable individuals, especially children, seniors, and the immunocompromised.



Talk to Caregivers and Parents About Vaccines

Many parents and caregivers have questions about vaccines. Talk to your patients and their caregivers about the CDC's recommended immunization schedule:

The CDC recommends the following routine vaccinations from birth to 6 years old:

- | | |
|---|---------------------------------|
| ✓ Hepatitis B (HepB) | ✓ Inactivated Poliovirus (IPV) |
| ✓ Rotavirus (RV) | ✓ Influenza (Flu) |
| ✓ Diphtheria, Tetanus, and Acellular Pertussis (DTaP) | ✓ COVID-19 |
| ✓ Haemophilus Influenzae Type B (Hib) | ✓ Measles, mumps, rubella (MMR) |
| ✓ Pneumococcal Conjugate (PCV13) | ✓ Varicella (VAR) |
| | ✓ Hepatitis A (HepA) |

The CDC recommends the following routine vaccinations from 7 to 18 years old:

- | | |
|--|--|
| ✓ Influenza | ✓ Pneumococcal (Only recommended for children with certain health or lifestyle conditions that put them at an increased risk for serious diseases) |
| ✓ Tetanus, Diphtheria, and Pertussis (Tdap) | ✓ Dengue (Only in places where dengue spreads) |
| ✓ Human Papillomavirus (HPV) | |
| ✓ Meningococcal (MenACWY) | |
| ✓ Meningococcal (MenB) (Only recommended for children with certain health or lifestyle conditions that put them at an increased risk for serious diseases) | |